Sl. No.:

## **QUESTION BOOKLET**

**Booklet Id.:** AAO/02/B/400

Roll No.			

Time Allowed: 2 hrs 30 mins

**Total Marks:150** 

### DO NOT OPEN THE QUESTION BOOKLET UNTIL YOU ARE ASKED TO DO SO

Read the following instructions carefully before you begin to answer the questions.

### INSTRUCTIONS TO CANDIDATE

- 1) You are required to write your Roll Number in the prescribed place provided at the top of this Question Booklet and the OMR Answer Sheet.
- 2) You are required to mention the Question Booklet Id. as mentioned above in your OMR Answer Sheet.
- 3) Please ensure that the Question Booklet has the required number of pages immediately after opening the same. In case there is any shortage of any page(s), please report the same to the invigilator.
- 4) This Question Booklet contains 150 multiple choice questions to be answered in a separate OMR Answer Sheet by using **Blue/Black ball pen** only. Do not use **Ink/Gel pen**.

The Booklet comprises of the following two parts:

Part A: General Mathematics : 50 questions
Part B: (i) Accountancy : 100 questions
(ii) Statistics : 100 questions
(iii) Mathematics : 100 questions

- > Part A (General Mathematics) is compulsory for all candidates.
- ➤ Part B (Accountancy/Statistics/Mathematics): The candidates are required to answer any one subject area in Part B. Further, you need to mention about the subject area in your OMR Answer Sheet against the subject space.
- ➤ All questions are compulsory and carry equal marks.
- > There is no negative marking for wrong answers.
- **Directions for answering the questions:**

Each question is followed by four alternative suggested answers. You are required to select the correct answer and darken the appropriate circle of a, b, c and d by Blue/ Black ball pen in such a manner that the circle is completely darkened.

Example: Question No.63

Given below are four odd words, three are alike in some way and one is different. Find the odd word:

- (a) Ganga
- (b) Brahmaputra
- (c) Jamuna
- (d) Himalaya

Here the correct answer is Himalaya, i.e., (d). So, in the OMR Answer Sheet the darkened circle should be marked as

63.



- 5) In any case, if more than one circle against each question is darkened, that particular question would be treated as invalid and will not be evaluated.
  - At the end of the examination, the candidate should ensure that he/ she submits the OMR Answer Sheet and the Question Booklet to the invigilator before leaving the examination hall/ room.
- 6) This Question Booklet cannot be carried with you. You have to submit this along with your OMR Answer Sheet to the invigilator.
- 7) No rough work is to be done on the OMR Answer Sheet. You can do the rough work on the space provided on the Question Booklet.
- 8) Use and possession of mobile phones and electronic gadgets/calculators are strictly prohibited inside examination hall/room.
- 9) Non compliance with any of the above instructions will make a candidate liable to action/ penalty as may be deemed fit.

# Space for Rough Work

### **PART A: GENERAL MATHEMATICS**

1.	General solution of the	e equation 1 + Cos x = 0 is	S			
		b) $\{-\pi/2 + 2n\pi\}$		c) {π+ 2nπ}		d) None of
the	ese					
2.	If <i>a+ib= c+id</i> , then it m	ust be tru that				
	a) <i>a=c,</i> & <i>b=d</i>	b) <i>a= -c &amp; b=d</i>		c) <i>a=d</i> & <i>b=c</i>		d) <i>ad=bc</i>
3.	Harmonic mean betwe	en two numbers 'a' and	'b' is			
	a) (a+b) /2	b) 2ab/(a+b)		c) √ab		d) (a+b)/ab
4.	If ${}^{n}C_{6} = {}^{n}C_{12}$ , then n eq	uals				
	a) 18	b) 12		c) 6		d) 20
5.	The numbers of terms	in the expansion of (a+b	) <sup>n</sup> is			
	a) n	b) n+1		c) 2 <sup>n</sup>		d) $2^{n} - 1$
6.	Any point on the line y	= x is of the form :				
	a) (a, a)	b) (0, a)		c) (a, 0)		d) (a, – a)
7.	The equation of the lin	e whose graph passes th	rough th	ne origin, is :		
	a) $2x + 3y = 1$	b) $2x + 3y = 0$		c) $2x + 3y = 6$		d) none of
	these					
8.	The equation of y-axis	is:				
	a) y = 0	b) x = a		c) y = a		d) $x = 0$
9.	Real part of (2+i)/i is ed	qual to				
	a) 1	b) 2		c) -1		d) ½
10.	If roots of the equation	$ax^2 + bx + 1 = 0$ are equ	al, the v	alue of k will be.		
	a) $ab^2$ - 4=0	b) $b^2$ - $4a$ =0		c) $a^2$ - 4b=0		d) $b^2$ - $4ab$ =0
11.	If A =[5,6,7] and B=[7,8	3,9]then A U B is equal to	:			
	(a) [5,6,7,8,9]	b) [5,6,7]	c) [7,8,	9]	d) [7]	
12.	In 2 <sup>nd</sup> quadrant?					
	(a) x>0, y<0	b) x<0, y<0	c) x>0,	y>0	d) x<0,	y>0
13.	The intersection of set	s A and B is expressed as	:			
	(a) AUB	b) A/B	c) A∩B	3	d)AXB	
14.	Empty set is a:					
	a) Invalid set	b) Finite set	c)Infini	te set	d) Non	e of above
	x = 3 $2x +$	-				
15.	If $y = \frac{1}{2}$ then $\frac{6x + 1}{6x}$	<b>5</b> <i>y</i> =?				
	4	3 b) <del>7</del>	9		7	
	(a) <b>9</b>	b) <b>7</b>	c) <b>7</b>		d) 17	
16.	If salary of Ram is 25%	more than the salary of	Shyam, 1	then the salary o	of Shyam	is less than tl

- 16. If salary of Ram is 25% more than the salary of Shyam, then the salary of Shyam is less than the salary of Ram in percentage is
  - (a) 10%
- b) 15%
- c) 20%
- d) 25%

17.	Four angles of a quadri (a) 36°, 72°, 108°, 144° c) 40°, 80°, 120°, 160°	lateral are in the ratio 1 :	b) 35 <sup>0</sup> ,	. Find them. 70°, 105°, 140° 50°, 75°, 100°		
18.	b) If a circle is divided	ng the centre to any poin into three equal arcs, ea which is twice as long as	ich is a r	najor arc.		
19.	A bag contains 4 red are probability of getting o	nd 6 black balls. A ball is t f black ball.	aken ou	t of the bag at ra	andom.	Find the
	(a) 3/5	b) 5/3	c) 3/7		d) 2/5	
	(a) $a \neq 0, b = 0$	equation ax + by + c = 0 r b) b $\neq$ 0, a = 0	c) a = 0	, b = 0	on in tw d) a ≠ 0	
21.	(a) 9/2,0	requation 2x + 3y = 9 cut b) (0, 9)	c) (0, 3	•	d) (3,1)	
22.	Find the value of x from (a) 3	$\log_x^{81} = -4$ b) -3	c) 1/3		d) 4	
22		•	-		u, +	
23.	(a) 0, -2	polynomial $4u^2 + 8u$ ab) 2, -2	c) 0, 2		d) 1, 0	
24.	The product of two cor a) 16, 17	nsecutive positive integer b) 17, 18	rs is 306 c) 18, 1		ntegers? d) 19, 2	20
25.	Write first four terms of as follows $a = -1 d = 3$	f the A.P. when the first ⁄2	term a a	and the common	differe	nce <i>d</i> are given
	(a) 1, ½. 0 and -1/2	b) -1, ½1/2 and 1	c) -1, -1	1/2, 0 and 1/2	d) 1, -1	/2, 1 and 0
26.	All circles are : a) Congruent c) neither congruent neither congru	or similar		b) Both Congru d) similar	ent and	similar
27	,	B, AB = 24 cm, BC = 7 m	Datarm			
27.	a) 24/25, 7/25	b) 8/25, 24/25	. Detern	c) 8/25, 7/ 25		d) 7/25, 24/25
28.	If an AP has $a=1$ , $t_n = 20$ a) 20	and $S_n$ =399 then value of b) 32	of n is:	c) 38		d) 40
29.	In terms of powers of p a) $2^2 \times 3 \times 5^2$	orime numbers, 1260 can b) $2^2 \times 3^2 \times 5 \times 7$	be writ	ten as: c) $2 \times 3^2 \times 5^2 \times 3^2$	7	d) $2^2 \times 3 \times 5 \times 7^2$
30.	0.35% expressed as a d	,		·		-
	a) 0.35	b) 0.035		c) 0.0035		d) 3.5
31.	The product of $(2 x - 3 a)$ $2x^2 - 3$	)and $(2 x + 3)$ is : b) $4x^2 - 3$		c) $4x^2 - 9$		d) $4x^2 + 9$

32.	In a frequency distribut class is:	ion, the class mark of a class is 1	0 and its width is 5. The	lower limit of
	a) 5	b) 7.5	c) 10	d) 12.5
33.	is a collection of we	ell defined and distant objects		
	a) Set	b) Conjugate	c) Power	d) Relation
34.	Additive inverse of "0"	is		
	a) 1	b) -1	c) 0	d) 2
35.	Find the distance betw	een the points (2, 3), and (4, 1):		
	a) 3√3	b) 2√2	c) 2√3	d) 3√2
36.	3x <sup>2</sup> y+5 is a polynomial	of degree		
	a) one	b) two	c) three	d) zero
37.	Factors of $x^2 - 5x + 6$ as	re		
	a) (x+6)(x+1)	b) (x-2)(x+3)	c) (x+2)(x+3)	d) (x+1)(x-6)
38.	HFC of a <sup>3</sup> +b <sup>3</sup> and a <sup>2</sup> - ab	+ b <sup>2</sup> is		
	a) $a^2$ - $ab$ + $b^2$	b) (a+b) <sup>3</sup>	c) $(a^2+b^2)$	d) (a+b)
39.	Two equations in two v	ariable which are true for the sa	me ordered pair are calle	ed equations
	a) Cubical	b) Quadratic	c) Simultaneous	d) Radical
40.	The Cartesian coordina	te system is also called		
	a) Binary	b) Functional	c) Denary	d) Rectangular
41.	√ 2 is a nu	mber.		
	a) Rational	b) irrational	c) Prime	d) None
42.	Trivial solution of homo	geneous linear equation is		
	a) (1, 0, 0)	b) (0, 1, 0)	c) (0, 0, 1)	d) (0,0,0)
43.	The general term of the	e sequenced 2, 4, 6, 8, is		
	a) N	b) 2n	c) 2n – 1	d) n <sup>2</sup>
44.	0! = ?	,	•	·
	a) 1	b) 0	c) undefined	d) None
45.	<sup>n</sup> Cr in factorial form is :	:		
	a) n!r/(n-n)!	b) n! / r! (n-r)!	c) n!	d) n! -r / n!
46.	1 + 2 + 3 ++ (n -	1)= ?		
	a) n (n-1) /2	b) n (n+1)/2	c) (n-1)(n+1)/2	d) [ n(n+1)] <sup>2</sup> /2
47.	$(1-\cos^2\theta)(1+\cot^2\theta) = 3$	?		
	a) $Sin^2 \theta$	b) Cos² θ	c) Cosec² θ	d) 1
48.	$Cos(\alpha + \beta) = ?$			
	a) Sin $\alpha$ cos $\beta$ + cos $\alpha$ sin	n β	b) Sin $\alpha$ cos $\beta$ - cos $\alpha$ sir	ηβ
	c) $\cos \alpha \cos \beta - \sin \alpha \sin \alpha$	β	d) $\cos \alpha \cos \beta + \sin \alpha \sin \alpha$	η β

49.	'Sine' and 'cosine' are	periodic function whose period	is:			
	а) л/2	b) л	с) 2 л	d) 4 л		
50.	The inverse exists only	for the function which is:				
	a) One to one	b) onto	c) into	d) All of these		
	PART B: ACCOUNTANCY/STATISTICS/MATHEMATICS (ANSWER ANY ONE SUBJECT)					
	<u>ACCOUNTANCY</u>					
51.		n indirect tax levied by:	s) Dath Union and Stat	a Cavaramants		
	<ul><li>a) Union Government</li><li>b) State Governments</li></ul>		<ul><li>c) Both Union and State</li><li>d) None of the above.</li></ul>	e Governments		
52.	The Customs Act, 1962	2 covers :	•			
	a) Import duties only		c) Both Import and Exp	ort duties		
	b) Export duties only		d) None of the above			
53.	A debenture holder is		\- \			
	<ul><li>a) Creditor of the Comp</li><li>b) Debtor of the Comp</li></ul>	•	<ul><li>c) Employee of the Cor</li><li>d) None of the above</li></ul>	npany		
54.	A Debenture holder ge a) Dividend from the Co b) Interest from the Co	ets: ompany				
55.	A Company limited by meeting to this effect,	y shares if permitted by Article can do:	s and passed a resolution	on in the general		
	a) Increase capital only		c) convert capital into	stock only		
	b) consolidate capital o	only.	d) All of the above			
56.		ciation permits tion has been passed to this effe mpany law tribunal approves it	ect			
57.	<ul><li>a) only reduction of un</li><li>b) only cancellation of</li></ul>	nder section 100 involves: paid call on shares paid up capital of shares of paid up capital to its shareho	lders			
58.	A company can be volu a) the directors give a d b) the auditors give a d c) the creditors give co d) None of the above.	eclaration of solvency	f:			

- 59. In order to be a holding company, a company must acquire: a) All the equity shares b) Majority of equity shares with voting rights c) Power to compose the board of Directors d) Any one of the above. 60. A consolidated Balance Sheet of a holding company must contain: a) all the assets and liabilities of the subsidiary companies b) proportionate assets and liabilities of the subsidiary companies c) all the shares of the subsidiary companies d) None of the above. 61. The cost of control for acquiring of the shares of the subsidiary companies may show: a) Goodwill c) Nil b) Capital Reserve d) Any of the above 62. A consolidated Balance Sheet is: a) Principal Balance Sheet of the holding company b) A Substitute Group Balance Sheet c) A statutory Balance Sheet d) None of the above 63. The transfer of an entry from journal to ledger is known as: a) Vouching c) Posting b) Transaction d) Auditing 64. A Trial Balance is prepared to ascertain the: a) Arithmetical accuracy of the books of accounts b) Profit or loss of the business c) Assets and liabilities of the business d) None of the above. 65. Transactions are: a) Any events b) Only Monetary Events c) Both Monetary and non-monetary events d) Only non-monetary events 66. In case of a Paper Transaction: a) Money is to be paid later on c) Money is not to be paid at all d) None of the above b) Money is to be paid immediately 67. Which of the following events is not a transaction? a) Payment of children's school fees b) Receipt of income-tax refund c) Withdrawing of money from bank for personal use d) None of the above.
- 68. Net working capital is the:
  a) Excess of current liabilit
  - a) Excess of current liabilities over current assets
  - b) Excess of current assets over current liabilities
  - c) Excess of fixed assets over long term liabilities
  - d) Excess of total profits over expected profits.

69.	Margin of Safety is: a) Excess of Break-even Sales over total sales b) Excess of total sales over Break-even Sales c) Excess of maximum stock level over minimum stock I d) None of the above.	evel
70.	At Economic Order Quantity: a) Carrying Cost and Buying Cost are equal b) Carrying Cost is more than Buying Cost c) Buying Cost is more than Carrying Cost d) Sum of Carrying Cost and Buying Cost is equal to Tot	cal Cost.
71.	In case of Dissolution of a Partnership Firm, the followin a) Revaluation Account b) Realisation Account	ng Account is prepared: c) Profit & Loss Account d) Income & Expenditure Account
72.	A & B are partners sharing profits as 2:1. C is admitted f a) 4:1 b) 8:1	for 1/4ths share. The sacrificing ratio is: c) 2:1 d) None of the above
73.	A & B are partners sharing profits as 3:2. C has been as and C is 2:1:2. The sacrificing ratio is: a) 1:1 b) 3:2	c) 1:2 d) 5:1
74.	Test Check enables the Auditor to: a) Reduce his work burden only b) Reduce his responsibility only c) Reduce both his work burden and his responsibility d) All of the above.	
75.	Receipts & Payments Account records: a) Cash transactions only b) Credit transactions only	c) Both Cash & Credit transactions d) None of the above
76.	The Accountant of a Company forgot to record the pay donation. It is:	ment of Rs. 5,000/- made to a temple for
	<ul><li>a) Error of Principle</li><li>b) Error of Commission</li></ul>	c) Error of Duplication d) None of the above
77.	Which of the following items does not come under the a) wages b) pension	head, "Income from Salaries"? c) gratuity d) None of the above
78.	Cost Inflation Index is applicable in the case of: a) Long-term Capital Gains only b) Short-term Capital Gains only c) Both Long-term and Short-term Capital Gains d) None of the above.	
79.	As per Income-tax Act, 1961, the Deduction in respect of a) Section 80 C b) 80 D	of medical insurance premia comes under: c) 80 E d) 80 G.

80.	Which of the following statements is true? a) Fixed cost is fixed per unit b) Variable cost is variable per unit c) Fixed cost is fixed only in the short period d) None of the above.		
81.	Accounting Standard-3 describes : a) Cash Flow Statement b) Funds Flow Statement		c) Balance Sheet d) Income Statement
82.	International Accounting Standard Committee was form a) 1977 b) 1973	med	in the year: c) 1920 d) 1949
83.	Valuation of Inventories is described by: a) AS-6 b) AS-4		c) AS-10 d) AS-2
84.	IFRSs are issued by: a) IASC b) IASB		c) ICAI d) ICWA.
85.	Accounting is a language of a) Assets b) Liabilities		c) Business d) Balance Sheet
86.	<ul> <li>Which of the following organisations is not connected india?</li> <li>a) Accounting Standard Board (ASB)</li> <li>b) Institute of Chartered Accountants of India (ICAI)</li> <li>c) Assam Industrial Development Corporation (AIDC)</li> <li>d) Institute of Cost and Works Accountants of India (ICAI)</li> </ul>		
87.	Disclosure of Accounting Policies is covered by a) AS 1 b) AS 10	c) d)	AS 12 AS 20
88.	Accounting for Amalgamation is covered by a) AS 6 b) AS 9	,	AS 14 AS 21
89.	International Accounting Standards Board (IASB) was for a) April 1, 2012 b) April 1, 2001	ound c) d)	ded on April 1, 1973 April 1, 1956
90.	Debtors Ledger records a) All credit transactions b) Only credit sales	c) d)	Both credit and cash transactions None of the above
91.	The source of information for credit sales is a) Cash Book b) Returns Outward Book	c) d)	Journal Proper Sales Day Book
92.	Bad Debts previously written off, now recovered is reca) Total Debtors Account b) Total Creditors Account		ed in Cash Book None of the above

93.	a) b) c)	sh collected from customers is entered in Debit side of Total Debtors Account Credit side of Total Debtors Account Both Total Debtors and Total Creditors Account None of the above				
94.	a)	ider Self Balancing System, Trial Balance in prepared in Only Debtors Ledger Only Creditors Ledger	c) d)	Only General Ledger Each of the above three Ledgers		
95.	Und a) b)	der Hire Purchase System, ownership of goods passes fr After Down Payment is made After payment of the last instalment	om s c) d)	seller to buyer After signing the agreement None of the above		
96.	Un a) b)	ider Hire Purchase System, Down Payment includes Interest for the first instalment Interest for all the instalments	c) d)	No Interest Interest for the Cash Price		
97.	Hir a) b) c) d)	re Purchase Price means Total Payments to be made by the buyer including into Only Cash Price Cash Price Plus Down Payment None of the above	erest	t		
98.		e Hire Purchase agreement gives the buyer the right to performed in the signing the agreement after the last payment is made	get t c) d)			
99.	a) b) c)					
100	a)	The agreement in connection with 'Royalty' is subject t Indian Companies Act, 1956 Indian Partnership Act, 1932	c)	e provisions of the Indian Contract Act, 1972 Income Tax Act, 1961		
101		the books of the lessee, the 'Royalty' account is closed Profit and Loss A/c Manufacturing A/c	by t c) d)	ransferring to Trading A/c Any of the above		
102	a)	the books of the lessor, Shortworking lapsed is a Loss Gain	c) d)	Liability None of the above		
103	a)	or recoupment of past Shortworking, in the books of the Landlord A/c is debited Landlord A/c is credited	less c) d)	ee Shortworking A/c is debited None of the above.		
104	a)	eceipts and Payments account generally starts with Closing balance of cash Closing balance of bank	c) d)	Opening balance of cash and bank Opening balance of cash and/or bank		

105. R	Receipts and Payments account records the transactions	of	
a)	capital nature only	c)	both capital and revenue nature
b)	revenue nature only	d)	None of the above.
106. In	come and expenditure account is		
a)	Just like Balance sheet	c)	Just like Cash book
b)	Just like Profit and Loss account	d)	None of the above.
107 1	fe membership fee is a		
		c)	Capital expenditure
a) b)	Revenue receipt	,	Capital expenditure None of the above
D)	nevenue receipt	uj	Notice of the above
	ot for profit organisation prepares		
	Income and expenditure acount	,	Profit and Loss account.
b)	Trading account	d)	None of the above.
109. In	come and expenditure account shows		
	Cash in hand	c)	Capital expenditure
,	Cash at bank	•	Excess of income over expenditure
٠,	Sastrat Same	u,	Execus of meeting over experiancing
110.	Subscription received in advance is treated as		
a)	An income	c)	Capital
b)	An asset	d)	A liability.
•		- /	,
111.	Profit on sale of old furniture of a club is shown on the		
a)	•		
	Income side of Income and Expenditure account		
c)	Both credit side and debit side of expenditure account		
d)	None of the above.		
112.	The minimum number of partners in a firm is:		
	The minimum number of partners in a firm is: Three	د)	Ton
a)		c) d)	Twonty
D)	Two	u)	Twenty
112 If	the partnership deed is silent, Interest on partners' loan	ic a	llowed @:
a)	4%	c)	5%
b)	6%	d)	10%
ω,	070	u,	10/0
114. W	/hen a new partner pays cash for goodwill, the amount is	s cre	edited to:
	Premium for goodwill Account		New partner's Drawings Account
-	Partner's Ioan Account	-	Investment Account
~,		,	
115. O	n the admission of a new partner, the increase in the val	lues	of assets is
	Debited to Revaluation Account		Transferred to Reserve Account
,	Credited to Revaluation Account	,	None of the above
- ,		- ,	
116. Pi	rofit on revaluation of assets and liabilities is shared by t	he c	old partners in:
a)	Sacrificing ratio	c)	Old ratio
b)	New ratio	,	Gaining ratio
,		•	-
117. A	company is :		
a)	An artificial person	c)	A Club
b)	A Natural person	d)	Non-trading organisation

118. Shareholders are:		
a) Creditors of the company	c)	Officers of the company
b) Employees of the company	d)	None of the above
, , , ,	•	
119. Shares can be forfeited due to :		
a) Non-payment of Bank loan	ر)	Failure to attend meeting
b) Non-payment of Call money		None of the above
b) Non-payment of Can money	uj	Notic of the above
420 0		
120. Premium on issue of shares should be shown on the :	,	
a) Asset side of the Balance Sheet	,	Credit side of the Profit & Loss Account
b) Liability side of the Balance Sheet	d)	Debit side of the Profit & Loss Account
121. Profit & Loss Account is also known as:		
a) Income & Expenditure Account	c)	Cash Flow statement
b) Position Statement	d)	None of the above
,	,	
122. Current ratio is the relation between:		
a) Current Asset and fixed Asset	ر)	Current Asset and Investment
b) Current Asset and Net profit	,	None of the above
b) Current Asset and Net profit	uj	Notice of the above
122 If a remove matic is 2.1 and Comment accepts are De F 00 000	/ <u>+</u> la	on Compact lightlities are:
123. If current ratio is 2:1 and Current assets are Rs. 5,00,000,		
a) Rs. 3,00,000/-	-	1,00,000/-
b) 10,00,000/-	d)	None of the above.
124. AS-9 deals with:		
<ul> <li>a) the principle of Revenue Recognition</li> </ul>	c)	Amalgamation of Companies
b) Depreciation	d)	Disclosure of Accounting Policies.
125. The difference between goods sent to branch and goods	rece	ived by branch represents:
a) Cash in transit		goods lost in transit
b) Cash lost in transit	-	None of the above
u,	,	
126. Advertisement expenses are apportioned among differen	nt de	nartments on the basis of:
a) Purchases		Production
b) Profits	•	Sales.
b) Profits	uj	Sales.
127. Goodwill is :		
	,	
a) An intangible asset	•	A Current asset
b) A tangible asset	d)	None of the above.
128. Super Profit is the:		
<ul> <li>a) Excess of normal profit over actual profit</li> </ul>		
b) Excess of actual profit over normal profit		
c) Excess of gross profit over net profit		
d) Excess of current year's profit over previous year's pro	ofit.	
. , , , , , , , , , , , , , , , , , , ,		
129. 'Bank of Last Resort' represents :		
a) BOI	c)	UBI
b) SBI	•	RBI
~, ~~.	~ /	• • •

130. Working capital is the:	
a) Excess of current assets over current liabilities	
b) Excess of current liabilities over current asset	
c) Excess of fixed assets over current liabilities	
d) Excess of fixed assets over current assets.	
131. Contribution is the:	
a) Excess of fixed assets over current assets	c) Excess of sales over current assets
b) Excess of sales over variable cost	d) None of the above
122 Margin of cafety is the	
<ul><li>132. Margin of safety is the:</li><li>a) Excess B.E.P sales over actual sales</li></ul>	c) Excess fixed assets over current assets
•	•
b) Excess actual sales over B.E.P sales	d) None of the above
133. In absence of Partnership Deed, profits and losses of the	
a) in gaining ratio	c) in capital ratio
b) in sacrificing ratio	d) equally
134. If profit volume ratio is 40%, variable cost is:	
a) 360% of sales	c) 760% of sales
b) 960% of sales	d) None of the above.
135. If sale price is Rs. 200/-, Variable cost is Rs.150/- and Fixe	
a) 1,000 units	c) 3,000 units
b) 2,000 units	d) 4,000 units.
136. If Subscription received Rs. 3,00,000/-, subscription out subscription outstanding for the current year is Rs. 20,00 credited to Income and Expenditure account is:	
a) Rs. 3,10,000/-	c) Rs. 3,30,000/-
b) Rs. 3,20,000/-	d) Rs. 3,00,000/
137. Balance Sheet reflects:	
<ul><li>a) Assets Only</li><li>b) Assets, Liabilities and Capital</li></ul>	
c) Assets, Liabilities and Capital c) Assets, Liabilities, Capital, income and expenses	
d) All of the above	
d) All of the above	
138. Balance sheet provides information of financial position	of the enterprise:
a) at a point of time	c) for a period of time
b) over a period of time	d) None of the above.
139. Liquid assets consist of :	
a) Current assets – Inventory	c) All Current Assets
b) Current Assets – Inventories – Prepaid Expenses	d) Profitability Ratio
140. Return on Capital is measured by:	
a) Acid Test Ratio	c) Debt-Equity Ratio
b) Activity Ratio	d) Profitability Ratio

141. ROI is calculated on:	
a) Capital employed	c) Share Capital
b) Total Assets	d) None of the above.
142. Which of the following items results into an applicati	on of fund ?
a) Payment of Dividend	c) Sale of plant
b) Issue of Share Capital	d) None of the above.
143. Dividend received on shares held as investments is a	cash flow from:
a) Financing activity	c) Operating activity
b) Investing activity	d) Any of the above
144. If Selling Price per unit is Rs. 12/-, Variable cost per u a) 33.33%	nit is Rs. 9/-, then Profit Volume Ratio is c) 75%
b) 25%	d) 125%.
145. As per Income Tax Act. 1961, Previous Year starts fro	om:
a) 1 <sup>st</sup> April	c) 1 <sup>st</sup> January
b) 1st March	d) 31 <sup>st</sup> March.
146. The word 'AUDIT' has been derived from the word:	
a) Audio	c) Audire
b) Audition	d) Audible.
147. In Auditing, Internal Check System means a system	whereby :
a) the work of the organization is internally checked	by the Auditor
b) the work of one employee is automatically checke	ed by another employee
c) the work of the company is checked by Governme	
d) the works of the employees are checked by the M	anaging Director.
148. A voucher is :	
a) a book of account	
b) a transaction	
<ul><li>c) a documentary evidence in support of a transaction</li><li>d) a technique of sample survey</li></ul>	on
a, a technique of sample survey	
149. At present, all income tax related matters are regula	-
a) Income Tax Act, 1922	c) Income Tax Act, 1957
b) Income Tax Act, 1961	d) Income Tax Act, 2013.
150. Agricultural Income is fully exempt from income-tax	
a) 80 C of the Income Tax Act	c) 28 D of the Income Tax Act
b) 28 G of the Income Tax Act	d) 10(1) of the Income Tax Act

## **STATISTICS**

51.	Laspeyre's Index formula uses the value a) Base year	b) Current year
	c) Both (a) and (b)	d) None of the above
52.	-	5 is 800, then the purchasing power of a rupee is:
	a) 0.15 paise c) 8 paise	<ul><li>b) 12.5 paise</li><li>d) None of the above</li></ul>
	e, o paise	a) None of the above
53.	In India, the collection of vital statis	
	a) 1920	b) 1886
	c) 1969	d) 1946
54.	Vital statistics are obtained through	n:
	a) Census operation	b) Registration system
	c) Survey method	d) All of the above
	Vital vatas are as a sully assessed	···.
55.	Vital rates are generally expressed a) Percentage	in: b) Per thousand
	c) Per million	d) None of the above
	s,	
56.	The child bearing age in India is:	
	a) 20-28 years	b) 20-29 years
	c) 15-49 years	d) None of the above
57.	The death rate obtained for a segme	ent of a population is known as:
	a) Specific death rate	b) Crude death rate
	c) Infant mortality rate	d) None of the above
го	The watio of highesta the total death	s in a year is called
56.	The ratio of births to the total death a) Survival rate	b) Fertility rate
	c) Vital Index	d) None of the above
	,	,
59.	The relation between NRR and GRR	is:
	a) NRR = $\frac{1}{GRR}$	b) NRR > GRR
	c) NRR≤GRR	d) None of the above
<b>CO</b>	A complete life table is constructed	for an are internal of
60.	A complete life table is constructed a) 5 years	b) 10 years
	c) 1 year	d) None of the above
	, ,	,
61.	A population maintaining a constant	_
	a) Stable population	b) Stationary population
	c) Mobile population	d) None of the above

62.	The NRR > 1 indicates that –  a) Increase in population c) Constant in population size		rease in population ne of the above
63.	An experimental design is:  a) A map c) An architect	b) A plan of d) All of the	•
64.	The number of principles of design	of experime	nt is:
•	a) 2	b) 3	
	c) 5	d) 10	
65	For an (5X5) LSD, the d.f for error i	c _	
05.	a) 12	b) 24	
	c) 4	d) 5	
66.	In RBD local control is applied in	way direction b) 3	on.
	a) 2 c) 1	d) None of t	he ahove
	C) 1	a) None of t	ne above
67.	In the analysis of data of RBD with	'b' blocks an	d 't' treatments , the d.f for error is :
	a) t(b-1)	b) b(t-1)	
	c) (b-1)(t-1)	d) None of	the above
68.	The method of confounding is a de	evice to reduc	ce the size of :
	a) Experiments	b) Replicat	ions
	c) Blocks	d) None of	the above
69.	In 2 <sup>3</sup> factorial experiment, the nun	nber of first o	rder interaction effect is:
	a) 4	b) 7	
	c) 3	d) 8	
70	Replication in an experiment is me	ans.	
, 0.	a) The number of blocks		b) Total number of treatments
	c) Repetition of the treatment		d) None of the above
71.	In CRD with 't' treatments for 'n' e	xperimental	units the d.f for error is:
	a) t-1		b) n-1
	c) n-t		d) None of the above
72.	If n units are selected in a sample by:	from N popul	ation units, then the sampling fraction is given
	a) $1/n$		b) $^{n}/_{N}$
	c) $1/N$		d) None of the above
73.	11	size n out of	N population units without replacement is:
			•
	a) N <sup>n</sup>		b) $N/n$
	c) <sup>N</sup> C <sub>n</sub>		d) n!

74.	<ul><li>under proportional allocation, the size of the</li><li>a) Total sample size</li><li>c) Population size</li></ul>	e sample from each stratum depends o b) Size of the stratum d) All of the above
75.	Which of the following statement is correct? a) $V(\bar{y}_{st})_{opt} \leq V(\bar{y}_n)_R \leq V(\bar{y}_{st})_{prop}$ b) $V(\bar{y}_{st})_{opt} \leq V(\bar{y}_{st})_{prop} \leq V(\bar{y}_n)_R$ c) $V(\bar{y}_{st})_{prop} \leq V(\bar{y}_{st})_{opt} \leq V(\bar{y}_n)_R$ d) None of the above	
76.	In case of linear systematic sampling, the po	pulation size is:
	a) Large	b) Small
	c) Multiple of sample size	d) None of the above
77.	When sample size increases then –	
	a) Sampling error increases	b) Sampling error decreases
	c) Sampling error remains constant	d) None of the above
78.	Census method is free from:	
	a) Non- Sampling error	b) Sampling error
	c) Both (a) and (b)	d) None of the above
79.	Errors in a statistical model are always taken	to be –
	a) Independent	b) Distributed as N(0, $\sigma_e^2$ )
	c) Both (a) and (b)	d) None of the above
80.	In random number table, the distribution of	digits follows:
	a) Normal distribution	b) Uniform distribution
	c) Binomial distribution	d) None of the above
81.	In schedule method , the questionnaire is fill	led by –
	a) Respondent	b) Enumerator
	c) Investigator	d) None of the above
82.	From a Histogram , one can find the approx	imate value of –
	a) Mean	b) Mode
	c) Median	d) None of the above
83.	Arithmetic mean is not independent of chan	ge of –
	a) Origin	b) Scale
	c) Both (a) and (b)	d) None of the above
84.	Coefficient of variation is a number.	
	a) Pure	b) Irrational
	c) Complex number	d) None of the above
85.	$\beta_2$ is the measure of –	
	a) Mean	b) Skewness
	c) Kurtosis	d) None of the above

86.	The relation among $\mu_4$ , $\kappa_2$ and $\kappa_4$ is –	
	a) $\kappa_4 = \mu_4$	b) $\kappa_4 = \kappa_2 + \mu_4^2$
	c) $\mu_4 = \kappa_4 + 3\kappa_2^2$	d) None of the above
07	The best messages of dispension is	
87.	The best measure of dispersion is –  a) Range	b) Quartile deviation
	c) Mean deviation	d) Standard deviation
	c) Wear deviation	a, Standard deviation
88.	Mean deviation about is the least.	
	a) Mode	b) Mean
	c) Median	d) Standard deviation
89.	For positive skewed distribution –	
	<ul><li>a) Mean &gt; Median &gt; Mode</li><li>b) Mean = Median = Mode</li></ul>	
	c) Mean < Median < Mode	
	d) None of the above	
	•	
90.	For two distinct observations, which of the follo	wing is correct?
	a) AM > GM > HM	b) AM < GM < HM
	c) AM = GM = HM	d) None of the above
01	Skownoss moons	
91.	Skewness means a) Symmetry	b) Lack of symmetry
	c) Homogeneous	d) None of the above
	o, nemegeneous	
92.	The coefficient of correlation lies between –	
	a) 0 to 1	b) 0 to ∞
	c) -1 to 1	d) 0 to 2
02	The size of according to efficient decords on	
93.	The sign of regression coefficient depends on – a) Mean	b) Standard deviation
	c) Correlation coefficient	d) None of the above
	c) correlation coefficient	a, wone or the above
94.	The product of two regression coefficients can	never be greater than –
	a) 2	b) 0
	c) 1	d) None of the above
0.5	The all and O that are	
95.	The value of $\beta_2$ is always –	h) Croator than 1
	a) 0 c) Less than -1	<ul><li>b) Greater than 1</li><li>d) None of the above</li></ul>
	C) 1035 (Hall 1	a, None of the above
96.	If A and B are two mutually exhaustive events,	then P(AUB) is –
	a) P(A)	b) 1
	c) 0	d) P(B)

97. If P(A/B) = P(A) then A and B are a) Mutually exclusive events c) Independent	events. b) Dependent d) Equally likely
98. If A is a certain event then P(A) is – a) 0 c) >0	b) 2 d) 1
<ul><li>99. If X and Y are two random var</li><li>a) Any</li><li>c) Dependent</li></ul>	riables then V(X±Y) = V(X) + V(y) b) Independent d) None of the above
<ul> <li>100. If A and B are two independent evaluation</li> <li>a) A<sup>c</sup> and B<sup>c</sup> are also independent</li> <li>b) A<sup>c</sup> and B are also independent</li> <li>c) A and B<sup>c</sup> are also independent</li> <li>d) All of the above</li> </ul>	ents then –
<ul> <li>101. If X is a random variable, then</li> <li>a) E(X²) ≥ (E(X))²</li> <li>c) E(X²) &lt; (E(X))²</li> </ul>	b) $E(X^2) = E(5X)$ d) $E(X^2) = 0$
<ul><li>102. For two distributions with different Data can be compared by –</li><li>a) Mean</li><li>c) Coefficient of variation</li></ul>	b) Range d) Median
103. If 'a' and 'b' are constants, then V	(aX + b) = ?
a) aV(X) ± b	b) aV(X) – b
c) a <sup>2</sup> V(X)	d) None of the above
104. If X and Y are independent randon	
a) 2 c) 0	b) 5 d) 1
<ul><li>105. Two dice are rolled together, if the the sum of numbers on two dice is</li><li>a) 5/8</li><li>c) 1/4</li></ul>	
106. Binomial distribution has num	ber of parameters.
a) 3	b) 1
c) 2	d) 5
107. When p=q, then the Binomial dist	ribution will be –
a) Homogeneous	b) Symmetrical
c) Skewed	d) None of the above

108. Poisson distribution is –	
a) Symmetrical	b) Positively skewed
c) Negatively skewed	d) None of the above
109. If A and B are mutually exclusive ev	ents then P(AB)= ?
a) 1	b) 3
c) 2	d) 0
110. For normal distribution –	
a) β <sub>1</sub> =0	b) β <sub>2</sub> =3
c) Both (a) and (b)	d) None of the above
444 15 (20) (5 40) (6 4) (6 4) (6 4)	(M. av.)
111. If $X^{\sim}N(5,49)$ then the distribution of	
a) N(10,14)	b) N(5,49)
c) N(10,98)	d) N(10,196)
112. The area under the normal curve be	eyond $\mu \pm 3\sigma$ for the variable X is –
a) 0.6826	b) 0.9544
c) 0.9973	d) 0.0027
113. If X is a random variable with mean	u then E(X-u) <sup>r</sup> is known as –
a) Variance	b) Skewness
c) Central moment of order r	d) None of the above
o, communication of a contract	
114. When $r = \pm 1$ , two regression lines w	
a) Perpendicular	b) Parallel
c) Coincide	d) None of the above
115. The two regression lines passes thro	
a) (a,b)	b) (mean of X,Mean of Y)
c) $(\sigma_x, \sigma_y)$	d) None of the above
116. Goodness of fit can be tested by –	
a) t-test	b) F-test
c) χ²-test	d) <del>Z-test</del>
117 For testing the equality of population	an variances, which of the following distribution is used
	on variances, which of the following distribution is used.
a) Normal	b) t-distribution
c) F-distribution	d) None of the above
118. The degrees of freedom for student	t's t based on a random sample of size n
is:	
a) n-1	b) n-2
c) n	d) n-3
119. For large sample test, the sample si	ze should be –
a) 10	b) >30
c) <25	d) None of the above

120. The probability of Type-I is calle	
a) Null hypothesis	b) Level of significance
c) Critical region	d) None of the above
121. The probability level of correct of	decision in case of testing a null hypothesis is:
a) Power	b) Size of critical region
с) β	d) None of the above
122. Which of the following is true?	1) 40, 1, 1, 6, 1, 19, 7, 1
a) 1-β <0	<ul><li>b) 1-β ≥ level of significance(α)</li><li>d) Name of the above</li></ul>
c) $1-\beta = 2$	d) None of the above
123. Under the following condition P	
a) When alternative hypothesis become	omes null hypothesis
b) When α=β	
c) When the error is zero	
d) None of the above	
124. Neyman-Pearson's lemma is use	ed –
a) For unbiased test	
b) For construction of most powerfu	l critical region
c) For minimax test	
d) None of the above	
125. The degree of freedom for $y^2$ sta	atistic in case of contingency table of order of (3X3) is –
a) 4	b) 6
c) 9	d) 12
,	•
126. Factorization theorem is related	
a) Unbiasedness	b) Consistency
c) Sufficiency	d) None of the above
127. Rejecting a null hypothesis H₀ w	hen H₀ is always true is —
a) Type II error	b) Type I error
c) Both (a) and (b)	d) None of the above
128. In case of efficient estimator 't',	
a) Maximum	b) Least
c) -5	d) None of the above
129. The probability of all the possibl	e outcomes of a random experiment is equal to:
a) Infinity	b) Zero
c) One	d) None of the above
20.	
130. If $X^{\sim}N(\mu,\sigma^2)$ , the maximum proba	
a) $\frac{1}{\sqrt{2\Pi}} e^{-1/2}$	b) $\frac{1}{\sqrt{2\Pi}\sigma}$
c) $\frac{1}{\sqrt{2\pi}\sigma}$ e <sup>-1/2</sup>	d) $\frac{1}{\sqrt{2\Pi}}$
γ2110	V 211

	Test of null hypothesis $H_o$ : $\mu$ =70 vs. $H_1$ :	$\mu$ >70 leads to –	
	a) One sided test (left) b) One sided test(right)		<ul><li>c) Two failed test.</li><li>d) None of the above</li></ul>
132.	The mean of chi-square distribution n	d.o.f is –	
	a) 2n	b) n <sup>2</sup>	
	c) $\sqrt{n}$	d) n	
	If X is a random variable, then the mon		function of X is given by
	a) E[e <sup>tx</sup> ] c) E[S <sup>x</sup> ]	b) E[X <sup>t</sup> ] d) None of the	ahovo
,	., L[3]	u) None of the	above
134.	The size of critical region under H <sub>o</sub> is ca	alled:	
	a) Power	b) Level of sign	
	c) β	d) None of the	above
135.	Which of following distribution possess	sing the memory	yless property:
	a) Uniform	b) Geometric	
	c) Normal	d) Gamma	
136.	Name the following distribution for wh	nich mean and va	ariance are equal:
	a) Binomial	b) Normal	
	c) Poisson	d) Exponentia	I
137.	In case of normal population, the samp	ole mean is –	
	a) Unbiased estimate	b) Consistent	estimator
	c) Most efficient	d) All of the al	bove
138.	In time series, the number of compone		
	a) 5	b) 10	
	c) 8	d) 4	
139.	The long term effect in time series is kn		
	a) Trend	b) Seasonal	
140.	c) Cyclical Seasonal variation in a time series is:	d) Irregular	
1 10.	a) Regular movement	b) Oscillatory n	novement
	c) Period less than one year	d) Both (a) and	
141.	Method of least square to fit in the tre	nd is applicable	only if the trend is:
	a) Linear	b) Parabolic	
	c) Both (a) and (b)	d) None of the	above
142.	If the slope of the trend line is positive		
	a) Rising trend	b) Declining tre	
	c) Stagnation	d) Any one of the	ne above
143.	Index numbers are also known as:		
	a) Economic barometer	b) Lactometer	
	c) Both (a) and (b)	d) None of the	above

- 144. Index numbers are generally expressed as:
  - a) In ratios

b) In percentage

c) In thousands

- d) None of the above
- 145. Base period for an Index number should be:
  - a) A normal period
  - b) Should not be too long or too short from current period
  - c) Both (a) and (b)
  - d) None of the above
- 146. The ideal Index number is:
  - a) Laspeyre's price Index number
  - b) Paache's price Index number
  - c) Fisher's price Index number
  - d) None of the above
- 147. Laspeyre's Index number possess:
  - a) Downward bias

b) No bias

c) Upward bias

- d) None of the above
- 148. The condition for time reversal test to be satisfied with usual notation is:
  - a)  $P_{01}$ .  $V_{01} = V_{01}$

b)  $P_{01} \cdot P_{10} = 1$ 

c)  $P_{01} \cdot V_{01} = 1$ 

- d) None of the above
- 149. Any Index number is:
  - a) Pure number

- b) Expressed in rupees
- c) Expressed in kgs
- d) None of the above
- 150. The geometric mean of Laspeyre's and Paache's price Index numbers is:
  - a) Kelly's price Index number
- b) Edgeworth price Index number
- c) Fisher's price Index number
- d) None of the above

## **MATHEMATICS**

- 51. If the function f(x) is continuous at x = a then
  - (a) f(x) is differentiable at x = a
  - (b)  $\lim_{x \to a} f(x)$  may not exist
  - (c)  $\lim_{x \to a+} f(x) = f(a)$
  - (d) None of the above
- 52. The function  $f(x) = \begin{cases} x \sin \frac{1}{x}, & x \neq 0 \\ 0, & x = 0 \end{cases}$ 
  - (a) Has a removable discontinuity at x = 0
  - (b) Is continuous at x = 0
  - (c) Is monotonically increasing
  - (d) Is monotonically decreasing

53. Let 
$$f(x) = \begin{cases} -x, & x < 0 \\ x, & x \ge 0 \end{cases}$$

- (a) f(x) is not continuous at x = 0
- (b) f(x) is not differentiable at x = 0
- (c) f'(0) exists and is equal to 1.
- (d) None of the above
- 54. Let  $x = a(\theta + \sin \theta)$ ,  $y = a(1 \cos \theta)$ . Then  $\frac{dy}{dx}$  is equal to

(a) 
$$\frac{\cos\theta}{1+\sin\theta}$$

(c) 
$$\frac{1+\sin\theta}{\cos\theta}$$

(b) 
$$\frac{\sin \theta}{1 + \cos \theta}$$

(d) 
$$\frac{1+\cos\theta}{\sin\theta}$$

- 55. The function  $f(x) = -\frac{x^3}{3} + \frac{x^2}{2} + 6x 17$  is
  - (a) Strictly increasing in  $\square$
  - (b) Strictly increasing in the interval (-2,3)
  - (c) Strictly decreasing in the interval (-2,3)
  - (d) None of the above
- 56. Let  $f(x) = \sin ax$  then  $\frac{d^3y}{dx^3}$  is equal to

(a) 
$$-a^3 \cos ax$$

(c) 
$$-a^3 \sin ax$$

(b) 
$$\sin^3 ax$$

(d) 
$$-\cos^3 ax$$

57. The equation of the tangent to the curve  $y = 3x^3 - 7x^2 + x + 1$  at (2, -1) is

(a) 
$$9x + y - 19 = 0$$

(c) 
$$9x - y + 19 = 0$$

(b) 
$$y-9x+19=0$$

- 58. Let f(x) be differentiable in [a, b] and let f'(c) = 0 for some c, a < c < b. Then
  - (a) f has a maximum at X = c
  - (b) f has a minimum at x = c
  - (c) f has neither a maximum nor a minimum at x = c
  - (d) f may have a maximum at x = c
- 59. For  $f(x) = 10x^6 24x^5 + 15x^4 40x^3 + 108$  the stationary points, i.e. the points where f'(x) = 0, are x = 0 and x = 2. Then
  - (a) f(2) is a maximum

(c) f(2) is a minimum

(b) f(0) is a maximum

(d) f(0) is a minimum

- 60. For the conclusion of Rolle's theorem to hold for the function f(x) in the interval [a,b]
  - (a) f(a) and f(b) must be of opposite signs
  - (b)  $f(a) \neq 0$
  - (c)  $f(b) \neq 0$
  - (d) f(a) and f(b) must be equal
- 61. The formula for L'Hospital's rule is
  - (a)  $\lim_{x \to a} \frac{f(x)}{g(x)} = \lim_{x \to a} \frac{f'(x)}{g'(x)}$
  - (b)  $\lim_{x \to a} \frac{f(x)}{g(x)} = \frac{f'(a)}{g'(a)}$
  - (c)  $\lim_{x \to a} \frac{f(x)}{g(x)} = \lim_{x \to a} \frac{f'(x)}{g(x)}$
  - (d) None of the above
- 62. The value of  $\lim_{x\to 1} \frac{1+\log x x}{1-2x+x^2}$  is equal to
  - (a) 0
  - (b)  $\frac{1}{2}$

- (c)  $-\frac{1}{2}$
- (d) 1
- 63. The partial derivative of  $f(x, y) = 3x^3 + x^2y 2xy + 27y + 3$  with respect to x at the point (0, -3) is
  - (a) 6

(c) 4

(b) 5

(d) 3

- 64. If  $u = e^{xyz}$  then  $\frac{\partial^2 u}{\partial y \partial x}$  is equal to
  - (a)  $xe^{xyz}(1+xyz)$

(c)  $ze^{xyz}(1+xyz)$ 

(b)  $ye^{xyz}(1+xyz)$ 

- (d) None of the above
- 65. If u = f(x, y) is a homogeneous function of degree 2 in x, y, then
  - (a)  $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} = u$

(c)  $x \frac{\partial u}{\partial x} - y \frac{\partial u}{\partial y} = u$ 

(b)  $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} = 2u$ 

- (d)  $x \frac{\partial u}{\partial x} y \frac{\partial u}{\partial y} = 2u$
- 66. Choose the correct statement from the options below:
  - (a) A continuous function is integrable and differentiable
  - (b) A continuous function is integrable but may not be differentiable
  - (c) If a continuous function is integrable then it must be differentiable
  - (d) None of the above

$$67. \quad \int \frac{2+x}{x} dx =$$

(a) 
$$2\log x + x + C$$

(b) 
$$\log(x+2) + x + C$$

(c) 
$$2\log(x+2) + C$$

68. If 
$$y = \int (x^3 + 2x^{\frac{5}{2}} + 5x^{\frac{3}{2}} + 10x)dx$$
 and  $y = 0$  when  $x = 0$  then

(a) 
$$y = \frac{1}{4}x^4 + \frac{4}{7}x^{\frac{7}{2}} + 2x^{\frac{5}{2}} + 5x^2 + 1$$

(b) 
$$y = \frac{1}{4}x^4 - \frac{4}{7}x^{\frac{7}{2}} - 2x^{\frac{5}{2}} + 5x^2$$

(c) 
$$y = \frac{1}{4}x^4 - \frac{4}{7}x^{\frac{7}{2}} - 2x^{\frac{5}{2}} + 5x^2 + 1$$

(d) 
$$y = \frac{1}{4}x^4 + \frac{4}{7}x^{\frac{7}{2}} + 2x^{\frac{5}{2}} + 5x^2$$

69. Let 
$$u$$
 and  $v$  be two functions of  $\chi$ . Then the formula for integration by parts is given by

(a) 
$$\int uvdx = u \int vdx + v \int udx$$

(b) 
$$\int uvdx = u \int vdx - v \int udx$$

(c) 
$$\int uvdx = u \int vdx - \int \left(\frac{du}{dx} \int vdx\right) dx$$

(d) 
$$\int uvdx = u \int vdx + \int \left(\frac{du}{dx} \int vdx\right) dx$$

$$70. \quad \int \frac{2xdx}{(x-1)(x+1)} =$$

(a) 
$$\log(x-1) + \log(x+1) + C$$

(b) 
$$\log(x+1) - \log(x-1) + C$$

(c) 
$$\log(x-1) - \log(x+1) + C$$

71. 
$$\int \sin^2 x dx =$$

(a) 
$$-\cos^2 x + C$$

(b) 
$$\frac{1}{2}(x + \cos 2x) + C$$

(c) 
$$\frac{1}{2}(x-\sin 2x) + C$$

(d) 
$$\frac{1}{2}(x + \sin 2x) + C$$

72. 
$$\int_{0}^{2} [x] dx =$$

- (a) 0
- (b) 1

- (c) 2
- (d) Does not exist

73. Which of the following is not correct?

(a) 
$$\int_0^{\frac{\pi}{2}} \sin x dx = \int_0^{\frac{\pi}{2}} \cos x dx$$

(b) 
$$\int_{0}^{\pi} \cos x dx = 2 \int_{0}^{\frac{\pi}{2}} \cos x dx$$

(c) 
$$\int_0^\pi \sin x dx = 2 \int_0^{\frac{\pi}{2}} \sin x dx$$

- (d) None of the above
- 74. Let a < c < b. Then

(a) 
$$\int_a^b f(x)dx < \int_a^c f(x)dx + \int_c^b f(x)dx$$

(b) 
$$\int_{a}^{b} f(x)dx > \int_{a}^{c} f(x)dx + \int_{c}^{b} f(x)dx$$

(c) 
$$\int_a^b f(x)dx = \int_a^c f(x)dx + \int_c^b f(x)dx$$

(d) None of the above

75. 
$$\int_{-5}^{5} (x^3 + 5\sin^5 x) dx =$$

(a) 0

(b) 10

- (c) 15 (d) 20
- 76. The area bounded by the straight line x-2y+2=0, x-axis, y-axis and the line x=4 is equal to
  - (a) 4 square units

(c) 8 square units

(b) 6 square units

- (d) 10 square units
- 77. The order of the differential equation  $\frac{d^2y}{dx^2} \left(\frac{dy}{dx}\right)^2 = 1$  is
  - (a) 1

(c) 4

(b) 2

- (d) 0
- 78. The degree of the differential equation  $\sqrt{1+\left(\frac{dy}{dx}\right)^2}=x^2$  is
  - (a) 1
  - (b) 2
  - (c) 4
  - (d)  $\frac{1}{2}$

79.	The order and degree of the differential equation of the origin, are respectively		
	(a) 1, 1 (b) 1, 2		2, 1 2, 2
80.	If $y(t)$ is a solution of $(1+t)\frac{dy}{dt} - ty = 1$ and $y(0) = -1$		
	(a) $-\frac{1}{2}$ (b) $e + \frac{1}{2}$	(d)	$e - \frac{1}{2}$ $\frac{1}{2}$
81.	Consider the following statements: (I) There is a set which has exactly 1 subset. (II) There is no set having exactly 100 subsets.		
	Now select the correct option below: (a) Only (I) is true (b) Only (II) is true		Both (I) and (II) are true Both (I) and (II) are false
82.	There are 25 members in a cricket club. There are 5 of and bowler. There are 15 who can play as bowler and 7 are neither bowlers nor wicketkeepers?		
	(a) 3 (b) 4	(c) (d)	
83.	The relation $\geq$ (greater than or equal to) in the set of re-		
	<ul><li>(a) Reflexive but not transitive</li><li>(b) Reflexive and symmetric</li></ul>		Reflexive and transitive Symmetric and transitive
84.	Which of the relations below on the set $\{x, y, z\}$ is an eq		
	(a) {(x, y), (y, x), (y, z), (z, y), (z, x), (x, z)} (b) {(x, x), (x, y), (y, x)}		$\{(x, x), (y, y), (z, z)\}$ None of the above
85.	Let $A = \{1, 2, 3, 4\}$ and $B = \{x, y, z\}$ . Then  (a) There is no mapping $f: A \rightarrow B$ which is one-to-one  (b) Every mapping $f: A \rightarrow B$ is onto  (c) There are exactly 3 mappings $f: A \rightarrow B$ which are not	t on	to
86	(d) None of the above  The set of rational numbers is		
00.	(a) Countably infinite		Finite
	(b) Uncountable	(d)	None of the above

87. The quadratic expression  $5x^2 - 8x + 4$ 

(a) is > 0 for all real values of x

(b) is equal to zero for two distinct real numbers

(c) has a zero at  $x = \frac{4}{5}$ .

(d) None of the above

8	18. The roots of the equation $9x^2 - 6x + 1$ are  (a) Real and equal  (b) Equal in magnitude but opposite in sign	(c) Not real (d) None of the above
8	19. The equation $x^3 - x^2 - x - 2 = 0$ has  (a) All roots real  (b) Exactly one real root	<ul><li>(c) All roots imaginary</li><li>(d) None of the above</li></ul>
9	0. The product of the roots of the equation $5x^2 - 17x^3$ (a) 0 (b) $\frac{17}{5}$ (c) $-\frac{107}{5}$ (d) $\frac{19}{5}$	$+19x^2 + 107x = 0$ is
9	1. If $\alpha, \beta, \gamma$ are the roots of the equation $x^3 - 4x^2 +$ equals (a) 0 (b) 4	$8x+11=0$ then the value of $\alpha^2+\beta^2+\gamma^2$ (c) 8 (d) 16
9	2. The simplified value of the following expression is $ \left( \frac{e^x + e^{-x}}{2} \right)^2 - \left( \frac{e^x}{2} \right)^2 $	$\left(\frac{-e^{-x}}{2}\right)^2$
	(a) 0 (b) 1 (c) 2 (d) $\frac{1}{2}$	
9	3. The value of the expression $log 11 + log \frac{1}{11}$ is equal	to
	(a) 0 (b) 1	(c) 2 (d) None of the above
9	4. Let <i>A</i> , <i>G</i> and <i>H</i> be the arithmetic, geometric and hat Then (a)	armonic means of $n$ given positive numbers
	$A \leq G \leq H$	(c) $H \leq G \leq A$

95. The minimum value of  $4^x + 4^{1-x}, x \in \square$  , is

(a) 2

(c) 1

(b) 4

 $A \le G \le H$  (b)  $H \le A \le G$ 

(d) None of the above

(d)  $G \le H \le A$ 

- 96. The sequence  $\{(-1)^n\}$  is
  - (a) Convergent

(c) Oscillatory

(b) Divergent

(d) None of the above

- 97. The sequence  $\{2^{-n}\}$  is
  - (a) Convergent

(c) Oscillatory

(b) Divergent

- (d) None of the above
- 98. Let  $\sum_{n=1}^{\infty} a_n$  be a series of positive numbers. Now select the correct statement from below:
  - (a)  $\sum_{n=1}^{\infty} a_n$  is convergent whenever  $\lim_{n\to\infty} a_n = 0$
  - (b)  $\sum_{n=1}^{\infty} a_n$  is convergent if and only if  $\lim_{n\to\infty} a_n = 0$
  - (c)  $\sum_{n=1}^{\infty} a_n$  is not convergent if  $\lim_{n\to\infty} a_n \neq 0$
  - (d) None of the above
- 99. The geometric series  $\sum_{n=1}^{\infty} r^{n-1}$  is
- (a) Convergent if  $r \ge 1$

(c) Convergent if |r| < 1

(b) Convergent if  $r \le -1$ 

- (d) None of the above
- 100. For any two complex numbers  $\mathcal{Z}_1$  and  $\mathcal{Z}_2$

(a) 
$$|z_1| + |z_2| \le |z_1 + z_2|$$

(c) 
$$||z_1| - |z_2|| \le |z_1 - z_2|$$

(b) 
$$|z_1| + |z_2| = |z_1 + z_2|$$

(d) 
$$||z_1| - |z_2|| \ge |z_1 - z_2|$$

- 101. Choose the correct statement below:
- (a) The moduli of a complex number and its conjugate are equal
- (b) The arguments of a complex number and its conjugate are equal
- (c) If the arguments of two complex numbers are equal then their moduli are equal
- (d) None of the above
- 102. Let  $\omega$  be a complex cube root of 1. Then

(a) 
$$\omega^2$$
 is a real number

(c) 
$$1 - \omega + \omega^2 = 0$$

(b) 
$$1 + \omega + \omega^2 = 0$$

(d) 
$$1 + \omega - \omega^2 = 0$$

- 103. There are 10 boxes to keep 11 medals. Then
- (a) Every box will get at least one medal
- (b) At least one box will contain 2 or more medals
- (c) At least one box will contain no medal
- (d) None of the above

104. The inside of an auditorium has 8 different electric how many different ways can the auditorium be life.			
(a) 8 (b) 8!	(c) 256 (d) 255		
105. How many 4-digit numbers can formed with the d			
(a) 192 (b) 256	(c) 24 (d) None of the above		
106. In how many ways can 12 apples be distributed a apple?	mong 4 boys so that every boy gets at least 1		
(a) 165	(c) 455		
(b) 495	(d) None of the above		
<ul><li>107. Suppose A and B be two mutually exclusive events</li><li>(a) A and B are independent events</li></ul>	$(c)  P(A \cap B) = 0$		
(b) $P(A \cup B) = 0$	(d) None of the above		
108. If A and B are independent events then			
(a) $P(A \cap B) = P(A)P(B)$	(c) $P(A \cap B) = P(B) - P(A)$		
(b) $P(A \cap B) = P(A) + P(B)$	(d) None of the above		
109. A local football club has 15 players including 3 foreign players. A team of 11 players is selected at random. What is the probability that all 3 foreign players are selected?			
(a) $\frac{33}{91}$	(c) $\frac{11}{15}$		
(b) $\frac{2}{3}$	(d) None of the above		
(b) $\frac{1}{3}$			
110. A coin is tossed three times. The probability of get those obtained in the first two tosses is	etting a result in the third toss different from		
(a) $\frac{1}{2}$ (b) $\frac{1}{4}$	(c) $\frac{1}{8}$ (d) $\frac{1}{16}$		
a 1	8 1		
(b) $\frac{-}{4}$	(d) <u>-</u> 16		
$\begin{vmatrix} 1 & \omega & \omega^2 \end{vmatrix}$			
111. The value of the determinant $\begin{vmatrix} \omega^2 & 1 & \omega \\ \omega & \omega^2 & 1 \end{vmatrix}$ where	ere $arPhi$ is a complex cube root of 1, is		
<ul><li>(a) 0</li><li>(b) 1</li><li>(c) Θ</li></ul>			
(d) $\omega^2$			
112. Let $a$ be a diagonal entry of a skew-symmetric real	matrix A. Then		
(a) a must be positive	(c) a = 0		
(b) a must be negative	(d) None of the above		

#### 113. Choose the correct statement below:

- (a) Matrix addition is not commutative
- (b) Matrix multiplication is commutative
- (c) An invertible matrix has determinant not equal to 0
- (d) None of the above

114. The matrix 
$$\begin{bmatrix} 0 & 1 \\ 0 & 0 \end{bmatrix}$$
 is

- (a) Nilpotent
- (b) Idempotent

- (c) Invertible
- (d) Skew-symmetric

115. The eigenvalues of the matrix 
$$\begin{bmatrix} 1 & 0 & 0 \\ -1 & 1 & 0 \\ 2 & 0 & 2 \end{bmatrix}$$
 are

- (a) All real and distinct
- (b) 1 and 2

- (c) 1, -1 and 2
- (d) None of the above

### 116. Select the correct statement below:

- (a) Eigenvalues of two distinct matrices can never be the same
- (b) Every square matrix satisfies its characteristic equation
- (c) The eigenvalues of real matrices are real and distinct
- (d) None of the above

117. If 
$$\cos \theta = \frac{x}{x+1}$$
 then  $\sin \theta =$ 

(a) 
$$\frac{x-1}{x+1}$$

(a) 
$$\frac{x-1}{x+1}$$
  
(b)  $\frac{\sqrt{1-x^2}}{x+1}$ 

$$\text{(c)} \quad \frac{\sqrt{2x+1}}{x+1}$$

(d) None of the above

118. The value of  $\sin 75^{\circ}$  is

(a) 
$$\frac{\sqrt{6}-\sqrt{2}}{4}$$

(b) 
$$\frac{\sqrt{6} + \sqrt{2}}{4}$$

(c) 
$$\frac{\sqrt{2}-\sqrt{6}}{4}$$

(d) 
$$\frac{\sqrt{6} + \sqrt{2}}{2}$$

119. If  $\sin\theta = -\frac{7}{25}$  and  $\theta$  is in the 4<sup>th</sup> quadrant then

(a) 
$$\tan \theta = \frac{7}{24}$$

(c) 
$$\cot \theta = -\frac{24}{7}$$

(b) 
$$\cos \theta = -\frac{24}{25}$$

(d) 
$$\sec \theta = -\frac{25}{24}$$

120. Select the correct statement:

(a) 
$$\sin^{-1}(-1) = \frac{3\pi}{2}$$
 because  $\sin \frac{3\pi}{2} = -1$ 

(b) 
$$\sin^{-1}(-1) = -\frac{\pi}{2}$$

- (c) The domain of the inverse trigonometric function  $\sin^{-1} x$  is  $[0,2\pi]$
- (d) None of the above

121. The simplified value of  $\sin\left(2\cos^{-1}\frac{3}{5}\right)$  is

(a) 
$$\frac{24}{25}$$

(c) 
$$\frac{7}{25}$$

(b) 
$$-\frac{7}{25}$$

(d) 
$$-\frac{24}{25}$$

122. If  $2\sin\frac{x}{2} = 1, 0 \le x < \frac{\pi}{2}$  then

(a) 
$$x = \frac{5\pi}{6}$$

(b) 
$$x = \frac{\pi}{3}$$

- (c)  $\ ^{\chi}$  has exactly 2 solutions in the given interval
- (d)  $\chi$  has no solution in the given interval

123. In a triangle *ABC* the measure of angle A is  $60^{\circ}$ , side  $\ell$  is  $\sqrt{6}$  cm and side  $\ell$  is 2 cm. What is the measure of angle  $\ell$ ?

124. In a triangle ABC the sides a, b and c are of lengths 2 cm, 4 cm and  $2\sqrt{3}$  cm respectively. What is the measure of angle C?

 $(a) 90^{\circ}$ 

(c) 30°

(b) 60°

(d) 45°

125. The simplified form of the expression  $\frac{12(\cos 23^o + i\sin 23^o)}{6(\cos 293^o + i\sin 293^o)}$  is

- (a) 2*i*
- (b) 2(1-i)
- (c) -2i
- (d) 2(i-1)

126. The sum of the series  $1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \cdots$  is

(a) 
$$\frac{\pi}{2}$$

(c) 
$$\frac{\pi}{8}$$

(b) 
$$\frac{\pi}{4}$$

(d) None of the above

127. Select the correct statement from below:

- (a) It is not possible to add two vectors of different directions
- (b) Multiplication of a vector with a scalar always increases the magnitude of the vector
- (c) The zero vector has no direction
- (d) None of the above

128. The dot product of the two vectors  $\hat{i}+3\hat{j}-4\hat{k}$  and  $2\hat{i}-\hat{j}-\hat{k}$  is equal to

- (a) 3
- (b)  $3\hat{i}$
- (c)  $3\hat{j}$
- (d)  $3\hat{k}$

129. The cross product  $\vec{a} \times \vec{b}$  of the vectors  $\vec{a} = \hat{i} + \hat{j} + \hat{k}$  and  $\vec{b} = 2\hat{j} - \hat{k}$  is equal to

(a) 
$$3\hat{i} - \hat{j} + 2\hat{k}$$

(b) 
$$-3\hat{i} + \hat{j} + 2\hat{k}$$

(c) 
$$-3\hat{i} - \hat{j} + 2\hat{k}$$

(d) 
$$3\hat{i} + \hat{j} + 2\hat{k}$$

130. Given three vectors  $\vec{a}, \vec{b}$  and  $\vec{c}$  the scalar triple product  $\vec{a} \cdot (\vec{b} \times \vec{c})$  is

- (a) the volume of the parallelepiped defined by the three vectors given
- (b) the area of a triangle whose sides are represented by the given vectors
- (c) the perimeter of a triangle whose sides are represented by the given vectors
- (d) none of the above

131. Choose the correct formula from below:

(a) 
$$\vec{a} \times (\vec{b} \times \vec{c}) = (\vec{a} \cdot \vec{c})\vec{b} - (\vec{a} \cdot \vec{b})\vec{c}$$

(b) 
$$\vec{a} \times (\vec{b} \times \vec{c}) = (\vec{a} \cdot \vec{c})\vec{b} + (\vec{a} \cdot \vec{b})\vec{c}$$

(c) 
$$\vec{a} \times (\vec{b} \times \vec{c}) = (\vec{b} \cdot \vec{a})\vec{c} - (\vec{a} \cdot \vec{c})\vec{b}$$

(d) 
$$\vec{a} \times (\vec{b} \times \vec{c}) = (\vec{b} \cdot \vec{c})\vec{a} - (\vec{a} \cdot \vec{c})\vec{b}$$

- 132. Let f be a vector function and let  $\nabla$  be the vector differential operator. Which of the following is false?
  - (a)  $\nabla \cdot (\nabla \times f) = 0$
  - (b)  $\nabla \times (\nabla f) = 0$
  - (c)  $\nabla \times (\nabla \times f) = 0$
  - (d) None of the above
- 133. Consider the equations below:
  - (1)  $x^2 + y^2 6x + 8y 24 = 0$
  - (II)  $x^2 + y^2 6x + 8y = 0$
  - (a) Equation (I) represents a circle but (II) does not
  - (b) Equation (I) represents a circle but (II) does not
  - (c) The two equations represent concentric circles
  - (d) The two equations represent degenerate circles
- 134. Consider the circle represented by the equation  $x^2 + y^2 + 2x 10y + 25 = 0$ . Then
  - (a) The y axis is a tangent to the circle at the point (0, 5)
  - (b) The x axis is a normal to the circle at the point (0, 5)
  - (c) There is no tangent to the circle passing through the origin
  - (d) The radius of the circle is 5 units
- 135. The equation of a circle of radius r in parametric form is
  - (a)  $x = r \sec \theta, y = r \tan \theta$
  - (b)  $x = r \cos \theta$ ,  $y = r \sin \theta$
  - (c)  $x = \cos r\theta$ ,  $y = \sin r\theta$
  - (d) None of the above
- 136. For the parabola  $y^2 = 4ax$  which of the following is true?
  - (a) The coordinates of the vertex is (a, 0)
  - (b) The coordinates of the focus is (0, 0)
  - (c) The equation of the axis is x = 0.
  - (d) The length of the latus rectum is 4a
- 137. The focus of a parabola is (3, 0) and the equation of its directrix is x = -3. The equation of the parabola is:
  - (a)  $x^2 = 12y$
  - (b)  $y^2 = 12x$
  - (c)  $x^2 = -12y$
  - (d)  $y^2 = -12x$

138. The equation of the tangent to the parabola  $y^2 = 8x$  at the point (2,4) is?

(a) x = y + 2

(c) x + y = 2

(b) y = x + 2

(d) None of the above

139. For the ellipse  $\frac{x^2}{25} + \frac{y^2}{9} = 1$ 

- (a) The eccentricity is  $\frac{5}{4}$
- (b) The length of latus rectum is  $\frac{9}{5}$
- (c) Equations of the directrices are  $x = \pm \frac{25}{4}$
- (d) None of the above

140. A circle is a special case of an ellipse when

- (a) the eccentricity is equal to 0
- (b) the equation of the directrices are  $x = \pm y$
- (c) the major axis becomes infinite
- (d) None of the above

141. The equation of the normal to the ellipse  $x^2 + 2y^2 = 9$  at the point (1,2) is

(a) 
$$x + 4y = 9$$

(c) 
$$y = 4x - 2$$

(b) 
$$y - 4x = 9$$

(d) 
$$4x + y = 2$$

142. The equation xy = 4 represents

(a) A circle

(c) A pair of straight lines

(b) An ellipse

(d) A rectangular hyperbola

143. What is the centre of the hyperbola represented by the equation

$$4x^2 - 5y^2 + 40x - 30y - 45 = 0$$
?

(a) (-5, -3)

(c) (5,3)

(b) (-3, -5)

(d) None of the above

144. An equation for the hyperbola with center (0, 0), vertex (0, 5), and asymptotes  $y = \pm \frac{5}{3}x$  is

(a) 
$$\frac{x^2}{25} - \frac{y^2}{9} = 1$$

(b) 
$$\frac{x^2}{9} - \frac{y^2}{25} = 1$$

(c) 
$$\frac{y^2}{25} - \frac{x^2}{9} = 1$$

(d) None of the above

145. Which of the triads below represents the direction cosines of a line?

- (a) 1, 0, 1
- (b) 1, 1, 0
- (c) 1, 1, 1

(d) 
$$\frac{1}{\sqrt{2}}, \frac{1}{\sqrt{2}}, 0$$

146. The direction cosines of a line perpendicular to the plane 8x + y + 4z = 1 are

- (a) l = 8, m = 1, n = 4
- (b)  $l = \frac{8}{9}, m = \frac{1}{9}, n = \frac{4}{9}$
- (c) l = 0, m = 1, n = 0
- (d) None of the above

147. Let  $l_1, m_1, n_1$  and  $l_2, m_2, n_2$  be the direction ratios of two perpendicular lines. Then

- (a)  $l_1 l_2 + m_1 m_2 + n_1 n_2 = 1$
- (b)  $l_1 m_2 + m_1 n_2 + n_1 l_2 = 0$
- (c)  $(l_1^2 + m_1^2 + n_1^2)(l_2^2 + m_2^2 + n_2^2) = 1$
- (d)  $l_1 l_2 + m_1 m_2 + n_1 n_2 = 0$

148. The equation to the tangent plane at the point (1,0,0) of the sphere  $x^2 + y^2 + z^2 = 1$  is

(a) x = 1

(c) z = 0

(b) y = 0

(d) x = 0

149. The direction cosines of the normal to the sphere  $(x-3)^2 + (y-4)^2 + z^2 = 16$  at the point (3,0,0) are

(a) l = 0, m = 1, n = 0

(c) l = 0, m = 0, n = 1

(b) l = 1, m = 0, n = 0

(d) None of the above

150. If f(x) = [x] is the greatest integer function then  $\lim_{x \to 1} f(x)$  is equal to

(a) 0

(c) 2

(b) 1

(d) Does not exist

\*\*\*\*\*

# Space for Rough Work

# Space for Rough Work