

Sl. No.:

QUESTION BOOKLET

Booklet Id.:
JM/01/C/150

Roll No.

--	--	--	--	--	--

Time Allowed: 2 hrs 30 mins

Total Marks: 150

DO NOT OPEN THE QUESTION BOOKLET UNTIL YOU ARE ASKED TO DO SO

Read the following instructions carefully before you begin to answer the questions.

INSTRUCTIONS TO CANDIDATE

- 1) You are required to write your Roll Number in the prescribed place provided at the top of this Question Booklet and the OMR Answer Sheet.
 - 2) **You are required to mention the Question Booklet Id. as mentioned above in your OMR Answer Sheet.**
 - 3) Please ensure that the Question Booklet has the required number of pages immediately after opening the same. In case there is any shortage of any page(s), please report the same to the invigilator.
 - 4) This Question Booklet contains 100 multiple choice questions to be answered in a separate OMR Answer Sheet by using **Blue/Black ball pen** only. Do not use **Ink/Gel pen**.
 - All questions are compulsory and carry equal marks.
 - There is no negative marking for wrong answers.
 - **Directions for answering the questions:**
Each question is followed by four alternative suggested answers. You are required to select the correct answer and darken the appropriate circle of a, b, c and d by Blue/ Black ball pen in such a manner that the circle is completely darkened.
Example: Question No.63
Given below are four odd words, three are alike in some way and one is different. Find the odd word:
(a) Ganga (b) Brahmaputra
(c) Jamuna (d) Himalaya
Here the correct answer is Himalaya, i.e., (d). So, in the OMR Answer Sheet the darkened circle should be marked as
63. a b c d
- 5) In any case, if more than one circle against each question is darkened, that particular question would be treated as invalid and will not be evaluated.
 - At the end of the examination, the candidate should ensure that he/ she submits the OMR Answer Sheet and the Question Booklet to the invigilator before leaving the examination hall/ room.
 - 6) This Question Booklet cannot be carried with you. You have to submit this along with your OMR Answer Sheet to the invigilator.
 - 7) No rough work is to be done on the OMR Answer Sheet. You can do the rough work on the space provided on the Question Booklet.
 - 8) **Use and possession of mobile phones and electronic gadgets/calculators are strictly prohibited inside examination hall/ room.**
 - 9) Non compliance with any of the above instructions will make a candidate liable to action/ penalty as may be deemed fit.

Space for Rough Work

Choose the correct option for each question and darken the circle against the option in the OMR Answer Sheet.

1. Regression testing is done
 - a) Software Development phase
 - b) Maintenance phase
 - c) Feasibility study
 - d) None of these

2. Consider the following program module

```
Int model(int x, int y) {
    while ( x !=y) {
If( x > y) then
        x=x-y;
else y=y-x;
}
return x;
}
```

What is a cyclomatic complexity of the above module?
 - a) 1
 - b) 2
 - c) 3
 - d) 4

3. Which of the following is not software reliability matrices
 - a) Mean time between failure
 - b) Availability
 - c) Throughput
 - d) Probability of failure on Demand

4. Which of the following is not a phase in Compiler?
 - a) Lexical Analyzer
 - b) Code generation
 - c) symantic Analyzer
 - d) None of these

5. The world wide web integrates which of the following
 - a) E-mail, Telnet, Usenet
 - b) Sound and movies files
 - c) a and b
 - d) All internet communication tools

6. Pick the machine independent phase(s) of compiler.
 - a) Syntax analysis
 - b) Lexical analysis
 - c) Intermediate code generation
 - d) All of the above

7. Which of the following is NOT a key component of object oriented programming?
 - a) Inheritance
 - b) Encapsulation
 - c) Polymorphism
 - d) Parallelism

8. What is the output of the following program?

```
void main( )
{

    static int value = 5;
    float total;
    total = value + value / 2;
    cout << total ;
}
```

 - a) 7.5
 - b) 7.0
 - c) 5.0
 - d) 7

9. The Java compiler translates source code into
 a) machine code. b) Assembly code. c) Byte code. d) JVM code
10. Single inheritance, Multiple inheritance, and Aggregation comes under _____
 a) Modularity b) Typing c) Hierarchy d) None of the above
11. How big is the conventional memory in a PC?
 a) 640 K b) 340 K c) 540 K d) None of these
12. The maximum zoom in excel is
 a) 400% b) 1000% c) 500% d) 200%
13. The short cut key used to rename file/folder is
 a) F3 b) F4 c) F2 d) F1
14. The default column width of an excel cell is
 a) 12.75 b) 500 c) 200 d) 8.43
15. How many ways you can save a document in MS-word
 a) 3 b) 2 c) 4 d) 5
16. Which of the following is not a type of firewall ?
 a) Packet-filtering firewall b) Proxy firewall
 c) Stageful Inspection d) None of these
17. How long is an IPV6 address
 a) 32 bits b) 48 bits c) 128 bits d) 128 bytes
18. Relational Algebra is
 a) Data definition language b) Meta language
 c) Procedural language d) Non procedural language
19. The data model which describes how the data is actually stored is
 a) internal model b) External model
 c) Logical model d) None of these
20. An association of several entities in an Entity Relation model is called
 a) Tuple b) Relationship c) record d) Field
21. Which normal form is considered adequate for relational database design ?
 a) 2 NF b) 3 NF c) 4 NF d) BCNF
22. Bottom up parser generates
 a) right most derivation in reverse b) right most derivation
 c) left most derivation d) left most derivation in reverse
23. In case of operator overloading, operator function must be _____ .
 1. Static member functions
 2. Non- static member functions
 3. Friend Functions
 a) Only 2 b) Only 1, 3
 c) Only 2 , 3 d) All 1 , 2, 3

24. Which of the following is false with respect to inheritance?
- When a base class is privately inherited, public members of the base class become private members of the derived class
 - When a base class is publicly inherited, public members of the base class becomes public members of derived class
 - When a base class is privately inherited, a private member of base class becomes private member of derived class
 - When a base class is publicly inherited protected members of base class becomes protected members of derived class
25. Producer consumer problem can be solved using
- Semaphore
 - Monitor
 - event counters
 - All of the above
26. Standard interface used to send commands between computers and musical instruments is
- Hypermedia
 - RealAudio
 - AAC
 - MIDI
27. The creation of motion from still pictures is called
- Sampling
 - 3-D modeling
 - transition
 - Animation
28. What is the process that condenses files so they can be stored in less space and transmitted over the Internet at a faster rate ?
- Data downloading
 - Data compression
 - Digitization
 - Defragmentation
29. Software that stores lines and shapes rather than individual pixels is known as
- Vector graphics software
 - raster graphics software
 - bit-mapped graphics software
 - resolution software
30. A compiler running on computers with small memory would normally be
- a multipass compiler
 - single pass compiler
 - a compiler with less number of phases
 - None of these
31. Input of a D flip flop is 1. The output of the D flip flop is
- 0
 - 1
 - Either 0 or 1
 - Can not say
32. After you service a laser printer, you notice dirty print. Which of the following would correct the problem.
- Clean the developer tank
 - Reset the printer
 - Run several blank pages
 - Clean the laser diode
33. Which common bus specification provides the fastest data transfer rate?
- VL bus
 - ISA
 - PCI
 - All of these
34. In the terminology used in the RS-232C communication standards Modems are
- DTE
 - DCE
 - FSK
 - None of these
35. The number of hardware interrupts that the processor 8085 consists of is
- 1
 - 3
 - 5
 - 7
36. The size of each segment in 8086 is
- 64 KB
 - 24 KB
 - 256 KB
 - 50 KB

37. How many type of cache memory:
 a) 2 b) 3 c) 1 d) 4
38. The physical address of memory in 8086 is
 a) 20 bits b) 16 bits c) 24 bits d) None of these
39. Which of the following is used for manufacturing chips?
 a) Control bus b) control unit
 c) Parity unit d) Semiconductor
40. What is SIM in 8085 ?
 a) Select interrupt Mask b) Set interrupt mask
 c) Sorting interrupt mask d) None of these
41. Which one of the following arrays represents a binary maxheap?
 a) (25, 12, 16, 13, 10, 8, 14) b) (25, 14, 13, 16, 10, 8, 12)
 c) (25, 14, 16, 13, 10, 8, 12) d) (25, 14, 12, 13, 10, 8, 16)
42. Consider the following C code :
- ```

int f (int n)
{
 static int p=0;
 If(n <=0) return 1;
 If (n> 3)
 { p=n;
 return f(n-2) + 2 ;
 }
 return f(n-1) + p;
}

```
- What is the value of f(4) ?  
 a) 5                                      b) 4                                      c) 7                                      d) 18
43. What is the Average complexity of quicksort algorithm ?  
 a)  $O(n \log n)$                                       b)  $O(n^2)$   
 c)  $O(n)$                                       d)  $O(n/2)$
44. A structure that can be placed within another structure is known as  
 a) Self referential structure                                      b) Nested structure  
 c) Parallel structure                                      d) Pointer to structure
45. Huffman algorithm can be implemented using a \_\_\_\_\_  
 a) Dequeue                                      b) Queue                                      c) Priority queue                                      d) None of these
46. A binary tree of height h has at least h nodes and atmost \_\_\_\_\_ nodes.  
 a) 2h                                      b)  $2^h$                                       c)  $2^{h-1}$                                       d)  $2^h - 1$
47. The height of a binary heap with n nodes is equal to  
 a)  $O(n)$                                       b)  $O(\log n)$                                       c)  $O(n \log n)$                                       d)  $O(n^2)$

48. The term optimal can mean  
 a) shortest                      b) cheapest                      c) fastest                      d) All of these
49. Which algorithm uses the divide, conquer, and combine algorithmic paradigm?  
 a) Selection sort                      b) Insertion sort  
 c) Merge sort                      d) Radix sort
50. In which of the following hash functions, do consecutive keys map to consecutive hash values?  
 a) Multiplication method                      b) Division method  
 c) Folding method                      d) Mid square method
51. The process of examining memory locations in a hash table is called  
 a) Hashing                      b) Collision                      c) Probing                      d) Addressing
52.  $s_1="HI"$   $s_2="HELLOW"$ ,  $s_3="BYE"$ . How can we concatenate the three strings?  
 a) `strcat(s1, s2, s3)`                      b) `strcat(s1,(strcat(s2,s3)))`  
 c) `strcpy(s1, strcat(s2, s3))`                      d) None of these
53. A linklist is a  
 a) Random access structure                      b) Sequential access structure  
 c) Both                      d) none of these
54. Which of the following is stable sorting algorithm  
 a) Merge sort                      b) Insertion sort                      c) Radix sort                      d) All of these
55. Candidate key is also known as \_\_\_\_\_  
 a) superkey                      b) Irreducible superkey  
 c) Foreign key                      d) Primary key
56. Which of the following is the binary operation?  
 a) Union                      b) Join                      c) Cartesian Product                      d) All of these
57. Which of the following is not classified as primary storage?  
 a) Main memory                      b) Cache                      c) Magnetic disk                      d) Flash memory
58. ALU works on the instructions and data held in the \_\_\_\_\_  
 a) Notebook                      b) Registers                      c) Capacitors                      d) I/O devices
59.  $2^{70}$  ?  
 a) Exabyte                      b) Petabyte                      c) Zettabyte                      d) None of these
60. The program  

```
main()
{
 int i = 5;
 i=(++i)/(i++);
 printf("%d", i);
 prints
 a) 2 b) 5 c) 1 d) 6
```

61. How many distinct binary search tree can be created out of 4 distinct keys?  
 a) 5                                      b) 14                                      c) 24                                      d) 35
62. Which of the following sorting algorithms has lowest worst case complexity?  
 a) Merge sort                              b) Bubble sort                              c) Quick sort                              d) Selection sort
63. The 2's complement representation of the decimal value -15 is  
 a) 1111                                      b) 11111                                      c) 111111                                      d) 10001
64. What is the swap space in the disk used for?  
 a) saving the super block                                      b) storing the device drivers  
 c) saving temporary HTML pages                                      d) saving process data
65. FIFO is a \_\_\_\_\_ algorithm.  
 a) Preemptive                              b) Non preemptive                              c) Both a) and b)                              d) None of these
66. A Boolean function  $x'y' + xy + x'y$  is equivalent to  
 a)  $x' + y'$                                       b)  $x + y$                                       c)  $x + y'$                                       d)  $x' + y$
67. The minimum number of D flip flops needed to design a mod-258 counter is  
 a) 9                                      b) 8                                      c) 512                                      d) 258
68. The hexa decimal representation of  $255_{10}$  is  
 a) 15F                                      b) FF                                      c) F15                                      d) 1515
69. How many select line is needed in a 32x1 multiplexer ?  
 a) 32                                      b) 1                                      c) 5                                      d) 4
70. How many 3 to 8 line decoders with an enable input are needed to construct a 6 to 64 line decoder without using any other logic gates?  
 a) 7                                      b) 8                                      c) 9                                      d) 10
71. The distance that can cover by a cat6 cable without repeater is  
 a) 100 feet                                      b) 100 meter                                      c) 300 meter                                      d) 500 meter
72. The default parameter passing mechanism in C is  
 a) call by value                                      b) call by reference  
 c) call by pointer                                      d) None of these
73. Which of the following is useful in traversing a given graph by breadth first search?  
 a) Stack                                      b) Set                                      c) List                                      d) Queue
74. The Pre-order and Inorder traversals of a binary tree are F A E K C D H G B, E A C K F H D B G respectively. Post order traversal is  
 a) F A E C K D H G B                                      b) E K C A H B G D F  
 b) E C K A H G B D F                                      d) E C K A H B G D F
75. Which of the following system software resides in main memory always?  
 a) Text editor                                      b) Assembler                                      c) Loader                                      d) All of these
76. Loss in signal power as light travels down the fiber is called?  
 a) Attenuation                                      b) Propagation                                      c) Scattering                                      d) Interruption



92. Which is not an external command?  
 a) Edit                      b) XCOPY                      c) Sys                      d) None of the above
93. A 8 bit microprocessor must have  
 a) 8 addresss line                      b) 8 data lines  
 c) 8 control lines                      d) None of the above
94. Trojan-horse programs  
 a) Are legitimate programs that allow unauthorized access  
 b) Are hacker programs that do not slow up the system  
 c) Really do not usually work  
 d) Usually or immediatly discovered
95. A common bus can be designed using  
 a) multiplexer                      b) Three state buffers  
 c) both a and b                      d) None of these
96. Cache memory is implemented using  
 a) Dynamic RAM                      b) EPROM                      c) EEPROM                      d) None of the above
97. The highest priority interrupt in 8085 microprocessor is  
 a) INTR                      b) RST 7.5                      c) TRAP                      d) RST 5.5
98. How many full adders are needed to add two 4 bit numbers ?  
 a) 8                      b) 2                      c) 4                      d) 16
99. Thrashing  
 a) Reduces page I/O  
 b) Decreases the degree of multiprogramming  
 c) Implies excessive page I/O  
 d) Improve the system performance
100. Assembly language statement for action is called  
 a) assembler directive                      b) imperative statement  
 c) declarative statement                      d) None of the above
101. Cache memory is used in computer system to  
 a) Ensure fast booting                      b) Replace static memory  
 c) Relace harddisk                      d) none of the above
102. With segmentation, if there are 64 segments and maximum segment size is 512 words; the length of logical address is how many bits  
 a) 12                      b) 6                      c) 15                      d) 9
103. Which of the following file extensions indicate only graphics files ?  
 a) BMP and DOC                      b) TXT and STK                      c) JPEG and TXT                      d) BMP and GIF
104. Status bar shows different types of keys:  
 a) Num lock key                      b) Caps lock key                      c) Scroll lock key                      d) All of these
105. The default workbook opens with \_\_\_\_\_ worksheet.  
 a) 3                      b) 4                      c) 1                      d) None of these

106. A sparse matrix is better represented using a/an:  
 a) array                      b) binary tree                      c) multi-linked list                      d) stack
107. In long-distance data transmission system, the most preferable mode of communication is:  
 a) serial transmission                      b) parallel transmission  
 c) Either serial or parallel transmission                      d) None of the above
108. The performance of a data communications network depends on  
 a) the numbers of users                      b) the transmission media  
 c) the hardware and network operating system                      d) All of the above
109. Consider the following program fragment:  

```

switch(input)
{
 case '1' : printf("one");
 case '3' : printf("three");
 case '5' : printf("five");
 default: printf("odd");
 break;
}

```

 What will be printed when input is '3'?  
 a) Three                      b) threeodd                      c) threefiveodd                      d) three three three
110. Consider the following two definitions  

```

int a[10]; int *p;

```

 Which of the following statement is incorrect ?  
 a) P=a+2;                      b) p=a+2; \*p=a[5];  
 c) a=p                      d) p=&a[3];
111. Which of the following preprocessor directives is used to create macros  
 a) #include                      b) #ifdef                      c) #define                      d) undef
112. chmod command in UNIX/LINUX  
 a) Changes the current execution status from user mode to kernel mode  
 b) makes the file hidden so that it cannot be seen using the ls command  
 c) changes the authentication permission  
 d) Changes the access permissions of a file or directory
113. In vi editor we can paste a deleted line using  
 a) Y                      b) cp                      c) p                      d) paste
114. Which one of the following file allocation strategy is used by UNIX operating system  
 a) contiguous allocation                      b) Linked allocation  
 c) Indexed allocation                      d) Sequential allocation
115. A computer has 6 tap drives, with n process competing for them. Each process may need two drives. What is the maximum value of n for the system to be deadlock free?  
 a) 6                      b) 5                      c) 4                      d) 3

116. The command shift \$n will
- shift positional parameters by the value of n.
  - shift positional parameter by 1
  - not shift positional parameter
  - result in an error
117. context switching is:
- part of spooling
  - part of interrupt handling
  - part of poling
  - part of interrupt servicing
118. Swiches are
- unicasting device
  - broadcasting
  - multicasting
  - none of these
119. The overhead in time division multiplexing is required for
- synchronization
  - error-control
  - clock recovery
  - none of these
120. HDLC is a \_\_\_\_\_ protocol.
- Character-oriented
  - bit oriented
  - byte oriented
  - count oriented
121. which of the following is not a library function ?
- isprint()
  - isdigit()
  - isspace()
  - none of these
122. Which one is not true ?
- A relation is in BCNF if it is in 4NF
  - BCNF is stricter than 3 NF
  - A relation is in BCNF if every determinant of the relation is a candidate key
  - All are true
123. In a relation referential integrity constraint can be specified with the help of
- primary key
  - Secondary key
  - Foreign key
  - None of these
124. Which of the following is not a proper state of transaction?
- Partially aborted
  - Aborted
  - partially committed
  - Committed
125. Which one is authorization command in SQL ?
- Access
  - Allow
  - Grant
  - None of these
126. Desirable properties of transactions are
- Atomicity, concurrency control, isolation, durability
  - Atomicity, consistency preservation, isolation, durability
  - Atomicity, correctness, isolation, durability
  - Atomicity, conflict serilizable, isolation, durability

127. Spooling is most beneficial in multiprogramming environment where
- Most jobs are I/O bound
  - Most jobs are CPU bound
  - Jobs are evenly divided as I/O bound and CPU bound
  - There is limited primary memory and need for secondary memory
128. How many 16Kx1 RAM chips needed to provide a memory capacity of 256 Kbytes ?
- 16
  - 8
  - 64
  - 256
129. Which of the following concurrency control protocols ensure both conflict serializability and freedom from deadlock?
- 2 phase locking
  - Time stamp ordering
- 1 only
  - 2 only
  - Both 1 and 2
  - Neither 1 nor 2
130. Consider a B+ tree in which the maximum number of keys in a node is 5. What is the minimum number of keys in any non root node?
- 1
  - 2
  - 3
  - 4
131. Four jobs to be executed on a single processor system arrives at a time 0+ in order A, B, C, D their CPU burst time represents are 4, 1, 8, 1 time units respectively. The completion time of A in Round Robin scheduling algorithm with time slice of 1 time unit is
- 10
  - 8
  - 9
  - 4
132. To expedite the process of page table access OS use
- Main memory
  - TLB
  - Virtual memory
  - Magnetic memory
133. Which of the following page replacement algorithm is only theoretical use?
- FIFO
  - LRU
  - Optimal page replacement
  - None of these
134. Memory compaction is a solution for
- Internal fragmentation
  - External fragmentation
  - Buddy system
  - All of these
135. Where does the swap space reside ?
- RAM
  - Disk
  - ROM
  - On chip cache
136. In the context of operating systems, which term would you not associate with scheduling of processes
- Round Robin
  - Preemptive
  - Waiting queues
  - interruptible
137. Which of the following design is both software and hardware independent ?
- Logical
  - Physical
  - Conceptual
  - None of the above
138. A directed graph which detects a deadlock is called
- Cyclic graph
  - wait for graph
  - deadlock graph
  - deadlock detection graph



**Space for Rough Work**